

Characterizing Variability in the Distribution of High-Frequency Acoustic Backscattering in a Shallow Water Coastal Region

Gareth L. Lawson

Woods Hole Oceanographic Institution

Woods Hole, MA 02543

phone: (508) 289-3649 fax: (508) 457-2134 email: glawson@whoi.edu

Timothy K. Stanton

Woods Hole Oceanographic Institution

Woods Hole, MA 02543

phone: (508) 289-2757 fax: (508) 457-2194 email: tstanton@whoi.edu

Peter H. Wiebe

Woods Hole Oceanographic Institution

Woods Hole, MA 02543

Phone: (508) 289-2313 fax: (508) 457-2169 email: pwiebe@whoi.edu

Grant Number: N00014-03-1-0212

<http://www.whoi.edu>

LONG-TERM GOALS

The central goal of this project is for the Primary Investigator, Gareth Lawson, to design, execute, and defend his doctoral thesis research. In terms of its scientific purpose, this research seeks to contribute to our understanding of spatial and temporal variability in the distribution of high-frequency acoustic backscattering stemming from zooplankton (e.g., Figure 1).




Figure 1: Volume backscattering (dB) measured at 120 kHz in Georges Basin, December 1999, showing distinct spatial patchiness both along-transect and with depth.

Report Documentation Page				Form Approved OMB No. 0704-0188	
Public reporting burden for the collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to a penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.					
1. REPORT DATE 30 AUG 2003		2. REPORT TYPE		3. DATES COVERED 00-00-2003 to 00-00-2003	
4. TITLE AND SUBTITLE Characterizing Variability in the Distribution of High-Frequency Acoustic Backscattering in a Shallow Water Coastal Region				5a. CONTRACT NUMBER	
				5b. GRANT NUMBER	
				5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S)				5d. PROJECT NUMBER	
				5e. TASK NUMBER	
				5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Woods Hole Oceanographic Institution,,Woods Hole,,MA,02543				8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)				10. SPONSOR/MONITOR'S ACRONYM(S)	
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)	
12. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release; distribution unlimited					
13. SUPPLEMENTARY NOTES					
14. ABSTRACT The central goal of this project is for the Primary Investigator, Gareth Lawson, to design, execute, and defend his doctoral thesis research. In terms of its scientific purpose, this research seeks to contribute to our understanding of spatial and temporal variability in the distribution of high-frequency acoustic backscattering stemming from zooplankton					
15. SUBJECT TERMS					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT Same as Report (SAR)	18. NUMBER OF PAGES 4	19a. NAME OF RESPONSIBLE PERSON
a. REPORT unclassified	b. ABSTRACT unclassified	c. THIS PAGE unclassified			

OBJECTIVES

The objectives of the project are three-fold: 1. To quantify the spatial and temporal variability in the distribution of acoustically-inferred zooplankton biomass in shallow water coastal regions. 2. To assess the predictability and persistence of such patchiness, and understand its association with physical and biological oceanographic processes. 3. To continue the process of field-testing and refining newly-developed models of zooplankton acoustic scattering.

APPROACH

The overall approach is to apply the models of zooplankton scattering recently developed at Woods Hole Oceanographic Institution (WHOI) to multi-frequency volume backscattering data collected in continental shelf regions under earlier research projects, in order to infer zooplankton abundance and biomass by size group. The areas under study presently include the Gulf of Maine and the Western Antarctic Peninsula, and the data used for analysis were collected with the WHOI Bio-Optical Multi-frequency Acoustical and Physical Environment Recorder (BIOMAPER-II). An important aspect of the research involves the development of the exact methodology to be used for making the necessary inferences. Inferred estimates of zooplankton abundance will be compared between times and regions to assess patterns in variability, and examined in light of other physical and biological processes studied concurrently during the cruises.

This award was given to allow the Primary Investigator, Gareth Lawson, to pursue his doctoral thesis research. The Co-Primary Investigators, Timothy Stanton and Peter Wiebe, act as thesis advisors.

WORK COMPLETED

Most of the work completed in the first year of the award has involved Gareth Lawson fulfilling required course-work, refining the exact questions to be addressed by the doctoral research, and successfully defending the thesis proposal. In terms of actual research, certain preliminary investigations were made into the distribution of acoustic backscattering in an antarctic continental shelf region west of the Antarctic Peninsula. This area has the advantage of a relatively simple zooplankton community, making it an ideal location to begin the process of inferring biological quantities like zooplankton abundance and distribution from multi-frequency acoustic data. The results of these initial investigations have been written up in a manuscript submitted to Deep-Sea Research II. Preliminary analyses also were made of multi-frequency data collected in the Gulf of Maine, including descriptions of the vertical distribution of zooplankton backscattering and calculations of descriptive statistics (e.g., mean backscattering in different basins).

RESULTS

The distribution of zooplankton backscattering in the antarctic continental shelf study region showed strong seasonal and spatial variability, much of which appears to be understandable in light of meso-scale circulation. These initial analyses also suggest that high-frequency backscattering stems from a complex mixture of zooplankton taxa, rather than being due to one kind or size class of animal. Preliminary investigations into data collected in the Gulf of Maine have revealed interesting inter-annual variability, which will be further explored in analyses to be conducted during the coming year.

IMPACT/APPLICATIONS

The project will result in a detailed understanding of variability in the distribution of zooplankton backscattering, ultimately allowing such variability to be modeled and predicted. This constitutes an essential step in constraining the uncertainty introduced into Navy representations of the acoustic field by these important scatterers, and in understanding the implications of zooplankton patchiness to the distribution of predators, including marine mammals and exploited fish species. Most of the research will make use of existing scattering models. Through comparisons of acoustic data with video and net samples, these models will be further evaluated and extended when necessary. The outcome will be field-tested acoustic scattering models of complex, naturally occurring scatterers.

RELATED PROJECTS

The development of the BIOMAPER-II and its use in a series of cruises in the Gulf of Maine were funded in part by the ONR (Grant Numbers N00014-95-1-1102, N00014-98-1-0362, and N00014-97-1-0646), and in part by NOAA (Grant 31654-5717). Additional data under analysis were collected with the BIOMAPER-II in the Antarctic, as part of the Southern Ocean GLOBEC program (NSF Office of Polar Programs Grant OPP-9910307). Some of the methodologies developed in the present project are also being applied to data collected during the U.S. Georges Bank GLOBEC program, as part of synthesis analyses funded by NOAA (Cooperative Institute for Climate and Ocean Research Grant NA17RJ1223). The zooplankton scattering models employed in the project were originally developed under a number of ONR-funded projects (primarily Grant N00014-95-1-0287).

PUBLICATIONS

Lawson, G.L., P.H. Wiebe, C.J. Ashjian, S.M. Gallagher, C.S. Davis, and J.D. Warren. In revision. Acoustically-inferred zooplankton distribution in relation to hydrography west of the Antarctic Peninsula. Deep Sea Research II. [submitted, refereed]